


$\sim$		
	3	



PRODUCT NUMBER								
REELED FOR APPLICATI	ON MACHINES FEEDING	AWG	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F
LEFT - RIGHT	RIGHT - LEFT							
47791-003	47791-000			0 1	BSOLET	Е		
47791-003LF	47791-000LF	28-32	.054 [1.37]	.058 [1.47]	.011 [0.28]	.115 [2.92]	.105 [2.67]	.040 [1.02]
47792-003	47792-000			0 1	BSOLET	E		
47792-003LF	47792-000LF	22-26	.070 [1.78]	.065 [1.65]	.017 [0.43]	.139 [3.53]	.120 [3.05]	.050 [1.27]
47793-003	47793-000			0 1	BSOLET	E		
47793-003LF	47793-000LF	18-20	.104 [2.64]	.104 [2.64]	.021 [0.53]	.139 [3.53]	.120 [3.05]	.050 [1.27]



- 1) MATERIAL: C2600 CARTRIDGE BRASS, 3/4 HD.
- (2) PLATING: ELECTRODEPOSITED GOLD 50u"/1.27u AVG. THICKNESS IN CONTACT AREA. REMAINDER GOLD FLASH. UNDERPLATE 50u"/1.27u NICKEL
- (3) FOR MANUFACTURING PURPOSES ONLY.
- 4. TERMINAL MAY BE USED WITH MINI LATCH HOUSING.
- 5. APPLICABLE SPECIFICATION:
  A. BUS-12-098 PRODUCT SPECIFICATION.
  B. TA-211 CRIMP SPECIFICATION.
- (6) PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7. THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESSES.

1

mat′	l. code			surfa	ice	/	toler	ance		proje	ction		prod	uct fa	amily						
SEE NOTE 1										1		1	PV TERMINAL								
ltr	ecn no	dr	date	tolera	tolerances unless otherwise specified						7 -	J	title								
S				— angle	, E	l To l		XX ±.01/.X±.3 (X ±.005/.XX±.13		INCH/MM		l ctw			V. MALE PIN					J	
				ariyu						-	,,,,	-		<b>.</b>		٠.	1717 \			11 1	'
				0° ±	2* =	.XXX	X ±.002	20/.XX>	(±.051	scale 10:1											
				dr	М.0	CLOUS	SER	1994-	08-22				dwg	no			S	heet	2	of 3	size
				engr	T	.HANN	۱A	1994-08-22		F	FCL				47791					A4	
				chr	Т	.HANN	HANNA 1994-08-22		' <i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	4//					/91						
				appd	Т	T.HANNA		1994-08-22			-		type				CUS	MOT	ER	Draw	ing
shee	et re	vision																			
inde:	x sh	eet																			

3 l

form: A4mmXLc


2

PDM: Rev:S

STATUS Released

Printed: Jul 14, 2012

Е



PDM: Rev:S STATUSReleased

Printed: Jul 14, 2012